


Column: **MEGA-VOC 2 FAST** - 0.15mm, 0.80 μ m, 10m
Catalog Code: F-VOC2-015-080-10

Conditions:

Injection: Split 250°C, 350mL/min split flow,
0.2 μ L injection volume with micro-syringe.
Detector: FID 250°C.
Oven Program: 35°C (0.5min), 20°C/min.
Carrier Gas: Helium, 100kPa.

1. Methanol
2. Ethanol
3. 2-Propanol
4. Methyl Ethyl Ketone (MEK)
5. Ethyl Acetate
6. Isobutanol
7. Cyclohexane
8. Methoxy Propanol
9. Ethoxy Propanol
10. Isobutyl Acetate
11. N-Butyl Acetate




Column: **MEGA-VOC 2 FAST** - 0.15mm, 0.80 μ m, 10m
Catalog Code: F-VOC2-015-080-10

Conditions:

Injection: Split 250°C, 40mL/min split flow, 200 μ L injection volume.
Static Headspace: incubation @ 110°C for 10min.
Detector: FID 250°C.
Oven Program: 35°C (0.5min), 20°C/min.
Carrier Gas: Helium, 100kPa.

1. Methanol
2. Ethanol
3. 2-Propanol
4. Methyl Ethyl Ketone (MEK)
5. Ethyl Acetate
6. Isobutanol
7. Cyclohexane
8. Methoxy Propanol
9. Ethoxy Propanol
10. Isobutyl Acetate
11. N-Butyl Acetate





since
1980

MEGA[®]
improve your GC analysis

contact us: info@mega.mi.it

 follow us [@MEGAColumns](https://twitter.com/MEGAColumns)

www.mega.mi.it